

## AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application.

1. (Currently Amended) A method comprising:  
    launching a diagnostic agent process at natively included in firmware of a  
    host processing system upon boot-up of the host processing system;  
    receiving data to provide one or more diagnostic procedures for the  
    diagnostic agent process from a remote processing system via a data network  
    coupled to the host processing system;  
    upon receipt of the one or more diagnostic procedures, automatically  
    executing the one or more diagnostic procedures on the host processing system  
    using a firmware interface to provide one or more diagnostic results; and  
    transmitting the one or more diagnostic results to the remote processing  
    system.
2. (Original) The method of claim 1, the method further comprising: formatting  
    the diagnostic results for transmission to a destination; and transmitting the  
    formatted diagnostic results to the destination through the data network.
3. (Previously Presented) The method of claim 2, the method further  
    comprising formatting the diagnostic results according to an extensible markup  
    language (XML).
4. (Previously Presented) The method of claim 1, the method further comprising  
    transmitting a message requesting the one or more diagnostic procedures through  
    the data network in response to launching the diagnostic agent process on the host  
    processing system.

Docket No: 42P11633  
Application No.: 09/927,224

2

5. (Previously Presented) The method of claim 1, the method further comprising transmitting a request for the data to provide one or more diagnostic procedures to a diagnostic procedure source through the data network in response to launching the diagnostic agent process.
6. (Previously Presented) The method of claim 1, the method further comprising: transmitting an identifying code to a diagnostic source through the data network, the identifying code being associated with the diagnostic agent process; and selecting the data to provide one or more diagnostic procedures at the diagnostic agent process based upon the identifying code; and transmitting the selected data to the diagnostic agent process through the data network.
7. (Currently Amended) An article comprising:  
a storage medium comprising machine-readable instructions stored thereon for:  
launching a diagnostic agent process at-natively included in firmware of a host processing system upon boot-up of the host processing system;  
receiving data to provide one or more diagnostic procedures for the diagnostic agent process from a remote processing system via a data network coupled to the host processing system;  
upon receipt of the one or more diagnostic procedures, automatically executing the one or more of diagnostic procedures on the host processing system using a firmware interface to provide one or more diagnostic results; and transmitting the one or more diagnostic results to the remote processing system.
8. (Original) The article of claim 7, wherein the storage medium further comprises machine-readable instructions stored thereon for: formatting the

diagnostic results for transmission to a destination; and transmitting the formatted diagnostic results to the destination through the data network.

9. (Previously Presented) The article of claim 8, wherein the storage medium further comprises machine-readable instructions stored thereon for formatting the diagnostic results according to an extensible markup language (XML).
10. (Previously Presented) The article of claim 7, wherein the storage medium further comprises machine-readable instructions stored thereon for transmitting a message requesting the data to provide one or more diagnostic procedures through the data network in response to launching the diagnostic agent process on the host processing system.
11. (Previously Presented) The article of claim 7, wherein the storage medium further comprises machine-readable instructions stored thereon for launching a second diagnostic agent process to the processing system, the second diagnostic agent process comprising logic to transmit a request for the data to provide one or more diagnostic procedures to a diagnostic procedure source through the data network and logic to initiate execution of diagnostic procedures.
12. (Canceled)
13. (Currently Amended) A host processing system comprising:
  - logic to launch a diagnostic agent process natively included in firmware of the host processing system upon boot-up of the host processing system;
  - logic to receive data to provide one or more diagnostic procedures for the diagnostic agent process from a remote processing system via a data network;
  - logic to upon receipt of the one or more diagnostic procedures, automatically execute the one or more diagnostic procedures using a firmware interface to provide one or more diagnostic results; and

logic to transmit the one or more diagnostic results to the remote processing system.

14. (Previously Presented) The host processing system of claim 13, the processing system further comprising: logic to format the diagnostic results for transmission to a destination; and logic to transmit the formatted diagnostic results to the destination through the data network.
15. (Previously Presented) The host processing system of claim 14, the processing system further comprising logic to format the diagnostic results according to an extensible markup language.
16. (Previously Presented) The host processing system of claim 13, the processing system further comprising logic to transmit a message requesting the data to provide the one or more diagnostic procedures through the data network in response to a launch of the diagnostic agent process.
17. (Previously Presented) The host processing system of claim 13, the processing system further comprising logic to transmit a request for the data to provide the one or more diagnostic procedures to a diagnostic source through the data network in response to a launch of the diagnostic agent process.
18. (Previously Presented) The host processing system of claim 13, the processing system further comprising:

logic to transmit an identifying code to a diagnostic source through the data network, the identifying code being associated with the diagnostic agent process; and

logic to receive the data at the diagnostic agent process from the diagnostic source through the data network.

19. (Currently Amended) A system comprising:

Docket No: 42P11633  
Application No.: 09/927,224

5

a wireless network;  
a diagnostic source coupled to the wireless network; and  
a host processing system comprising:  
logic to launch a diagnostic agent process natively included in firmware of the host processing system upon boot-up of the host processing system;  
logic to receive data to provide one or more diagnostic procedures for the diagnostic agent process from the diagnostic source via the wireless network;  
logic to upon receipt of the one or more diagnostic procedures, automatically execute the one or more diagnostic procedures using a firmware interface to provide one or more diagnostic results; and  
logic to transmit the one or more diagnostic results to the diagnostic source.

20. (Previously Presented) The system of claim 19, wherein the processing system further comprises: logic to format the diagnostic results for transmission to a destination; and logic to transmit the formatted diagnostic results to the destination through the wireless network.
21. (Original) The system of claim 20, wherein the processing system further comprises logic to format the diagnostic results according to an extensible markup language.
22. (Previously Presented) The system of claim 19, wherein the processing system further comprises logic to transmit a message to the diagnostic source through the wireless network in response to a launch of the diagnostic agent process, the message requesting the data to provide the one or more diagnostic procedures.

23. (Previously Presented) The system of claim 19, wherein the processing system further comprises logic to transmit a request for the data to provide the one or more diagnostic procedures to the diagnostic source through the wireless network in response to a launch of the diagnostic agent process.
24. (Previously Presented) The system of claim 23, wherein the processing system further comprises logic to transmit an identifying code to the diagnostic source through the wireless network, the identifying code being associated with the diagnostic agent process, and wherein the diagnostic source further comprises logic to select the data to provide one or more diagnostic procedures based upon the identifying code; and logic to transmit the selected data to the diagnostic agent process through the wireless network.

25-34. (Canceled)